VERIFIED VIALS

VV-COA-BPCTB-001
Document reference

3 November 2026
Date issued

Certificate of Analysis

BPC-157 + TB-500 Blend · Research Grade Peptide Blend — Content Analysis

Issued by Verified Vials on the basis of testing carried out by an independent third-party laboratory, Janoshik.

01 PRODUCT

PRODUCT
BPC-157 + TB-500 Blend · Research Grade Peptide Blend

INTENDED USE
Laboratory research use only

SUPPLIED BY
Verified Vials, Belfast, Northern Ireland

SAMPLE NAME ON LABORATORY RECORD
BPC-157/TB-500 BLEND

BATCH ON LABORATORY RECORD
BPTB5-220726-A

DECLARED CONTENT (PRODUCT LABEL)
5 mg BPC-157 + 5 mg TB-500 per vial

BATCH NUMBERS & EXPIRY
5 mg + 5 mg BPTB5-220726-A · Expiry 22 July 2029

02 RESULT

CONTENT PER VIAL — AS REPORTED

6.04 mg BPC-157

5.91 mg TB-500 (TB4)

Two peptides identified and quantified in a single vial

✓ CONTENT VERIFIED

The laboratory identified and quantified each peptide of the blend in the sample; figures are per vial as received.

The laboratory report states results only; analytical method details are not given on the report.

03 TEST DETAILS

LABORATORY
Janoshik (janoshik.com), independent of the supplier

LABORATORY TEST REPORT
#245664

TESTS REQUESTED
BPC-157/TB-500 blend analysis

TESTING ORDERED
21 October 2026

SAMPLE RECEIVED BY LABORATORY
26 October 2026

ANALYSIS CONDUCTED
30 October 2026

CLIENT ON LABORATORY RECORD
Verified Vials

VERIFICATION KEY
K5NV59P1GP76

04 REPORTED RESULTS

PARAMETER	REPORTED	BASIS	STATUS
BPC-157 content	6.04 mg	Per vial, as received	REPORTED
TB-500 (TB4) content	5.91 mg	Per vial, as received	REPORTED
Declared content (product label)	5 mg + 5 mg per vial	For comparison — not a laboratory figure	—

Figures are exactly as stated on the laboratory test report for the batch named above; the laboratory report does not state the analytical method, measurement uncertainty or a specification, and no pass/fail judgement is made by the laboratory. Content is the quantity of the named peptide found in the vial as received. Enquiries about methodology should be directed to the laboratory.

05 VERIFICATION & AUTHORISATION

janoshik.com/verify · key K5NV59P1GP76

The analysis was carried out by Janoshik. Their test report #245664 is the source record for every figure on this page and can be checked by entering the key above at janoshik.com/verify or by scanning the code.

This document is issued by Verified Vials and summarises that laboratory record. It is not a Janoshik document.

AUTHORISED BY
Quality Control
Verified Vials
3 November 2026

SIGNATURE

For laboratory research use only. Not for human or veterinary use. This certificate relates to the sample as received by the laboratory and summarises the laboratory's reported findings for that sample. It is not a guarantee of other units or batches, is not a safety assessment, and is not medical advice. Where this summary and the laboratory record differ, the laboratory record prevails.