VERIFIED VIALS

VV-COA-SNP8-001
Document reference

19 October 2026
Date issued

Certificate of Analysis

SNAP-8 · Research Grade Peptide — Content & Purity

Issued by Verified Vials on the basis of testing carried out by an independent third-party laboratory, Janoshik.

01 PRODUCT

PRODUCT
SNAP-8 · Research Grade Peptide

INTENDED USE
Laboratory research use only

SUPPLIED BY
Verified Vials, Belfast, Northern Ireland

SAMPLE NAME ON LABORATORY RECORD
Snap-8

BATCH ON LABORATORY RECORD
SNP810-230926-A

DECLARED CONTENT (PRODUCT LABEL)
10 mg per vial

BATCH NUMBERS & EXPIRY
10 mg SNP810-230926-A · Expiry 26 September 2029

02 RESULT

PURITY — AS REPORTED BY THE LABORATORY

99.409 %

SNAP-8 content 10.09 mg per vial · declared 10 mg per vial

✓ CONTENT VERIFIED

The laboratory identified and quantified SNAP-8 in the sample; content is per vial as received, purity as reported.

The laboratory report states results only; analytical method details are not given on the report.

03 TEST DETAILS

LABORATORY
Janoshik (janoshik.com), independent of the supplier

LABORATORY TEST REPORT
#239289

TESTS REQUESTED
SNAP-8 analysis

TESTING ORDERED
28 September 2026

SAMPLE RECEIVED BY LABORATORY
30 September 2026

ANALYSIS CONDUCTED
5 October 2026

CLIENT ON LABORATORY RECORD
Verified Vials

VERIFICATION KEY
VX2L2VBYZCDH

04 REPORTED RESULTS

PARAMETER	REPORTED	BASIS	STATUS
SNAP-8 content	10.09 mg	Per vial, as received	REPORTED
Purity	99.409%	As reported by the laboratory	REPORTED
Declared content (product label)	10 mg per vial	For comparison — not a laboratory figure	—

Figures are exactly as stated on the laboratory test report for the batch named above; the laboratory report does not state the analytical method, measurement uncertainty or a specification, and no pass/fail judgement is made by the laboratory. Content is the quantity of the named peptide found in the vial as received. Enquiries about methodology should be directed to the laboratory.

05 VERIFICATION & AUTHORISATION

janoshik.com/verify · key VX2L2VBYZCDH

The analysis was carried out by Janoshik. Their test report #239289 is the source record for every figure on this page and can be checked by entering the key above at janoshik.com/verify or by scanning the code.

This document is issued by Verified Vials and summarises that laboratory record. It is not a Janoshik document.

AUTHORISED BY
Quality Control
Verified Vials
19 October 2026

SIGNATURE

For laboratory research use only. Not for human or veterinary use. This certificate relates to the sample as received by the laboratory and summarises the laboratory's reported findings for that sample. It is not a guarantee of other units or batches, is not a safety assessment, and is not medical advice. Where this summary and the laboratory record differ, the laboratory record prevails.